

**S2**




Imperial

## FRAME SIZE LIMITS

Single | Double

**Eclipse®**  
Folding Door Systems

Hardware / Integrated Folding Doors / Screens / Shades

|           |                        | Single 2-3/4" Jamb                                                                 | Single 1" Jamb                                                                      | Double                                                                              |
|-----------|------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|           |                        |  |  |  |
| Sill (in) | Frame Height (in)      | Frame Width (in)                                                                   |                                                                                     |                                                                                     |
| 3/4"      | 29-13/16" - 78-11/16"  | 26-7/16" - 53-7/8"                                                                 | 24-5/8" - 52-15/16"                                                                 | 26-7/16" - 100-3/8"                                                                 |
|           | 78-3/4" - 125-15/16"   | 31-1/8" - 53-7/8"                                                                  | 29-3/8" - 52-15/16"                                                                 | 31-1/8" - 100-3/8"                                                                  |
| 1"        | 30-1/16" - 78-11/16"   | 26-7/16" - 81-7/16"                                                                | 24-5/8" - 79-11/16"                                                                 | 26-7/16" - 157-7/16"                                                                |
|           | 78-3/4" - 125-15/16"   | 31-1/8" - 81-7/16"                                                                 | 29-3/8" - 79-11/16"                                                                 | 31-1/8" - 157-7/16"                                                                 |
|           | 126-0" - 145-5/8"      | 33-1/2" - 52-15/16"                                                                | 31-3/4" - 51-1/8"                                                                   | 33-1/2" - 100-3/8"                                                                  |
|           | 145-11/16" - 157-7/16" | 33-1/2" - 40-1/8"                                                                  | 31-3/4" - 38-3/8"                                                                   | 33-1/2" - 74-3/4"                                                                   |

**S2**




Metric

## FRAME SIZE LIMITS

Single | Double

**Eclipse®**  
**Folding Door Systems**

Hardware / Integrated Folding Doors / Screens / Shades

|           |                   | Single - 70mm Jamb                                                                 | Single - 25mm Jamb                                                                  | Double                                                                              |
|-----------|-------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|           |                   |  |  |  |
| Sill (mm) | Frame Height (mm) | Frame Width (mm)                                                                   |                                                                                     |                                                                                     |
| 19        | 756 - 2000        | 670 - 1370                                                                         | 625 - 1345                                                                          | 670 - 2550                                                                          |
|           | 2001 - 3200       | 790 - 1370                                                                         | 745 - 1345                                                                          | 790 - 2550                                                                          |
| 25        | 763 - 2000        | 670 - 2070                                                                         | 625 - 2025                                                                          | 670 - 4000                                                                          |
|           | 2001 - 3200       | 790 - 2070                                                                         | 745 - 2025                                                                          | 790 - 4000                                                                          |
|           | 3201 - 3700       | 850 - 1345                                                                         | 805 - 1300                                                                          | 850 - 2550                                                                          |
|           | 3701 - 4000       | 850 - 1020                                                                         | 805 - 975                                                                           | 850 - 1900                                                                          |

**S2**



Imperial

## FRAME SIZE LIMITS

Jambless

**Eclipse®**  
**Folding Door Systems**

Hardware / Integrated Folding Doors / Screens / Shades

|                       | Configuration                                                                       | Sill (in) | Frame Height (in)      | Frame Width (in)     | Screen Stop Position |
|-----------------------|-------------------------------------------------------------------------------------|-----------|------------------------|----------------------|----------------------|
| Jambless (Full width) |   | 1"        | 30-1/16" - 125-15/16"  | 24-1/4" - 79-1/4"    | 75-15/16"            |
|                       |                                                                                     |           | 126-0" - 145-5/8"      | 30-7/8" - 50-11/16"  | 47-7/16"             |
|                       |                                                                                     |           | 145-11/16" - 157-7/16" | 30-7/8" - 37-15/16"  | 34-5/8"              |
| Jambless (Custom)     |  | 1"        | 30-1/16" - 125-15/16"  | 23-3/4" - 154-13/16" | 75-15/16"            |
|                       |                                                                                     |           | 78-3/4" - 125-15/16"   | 28-1/2" - 154-13/16" | 47-7/16"             |
|                       |                                                                                     |           | 126-0" - 157-7/16"     | 30-7/8" - 154-13/16" | 34-5/8"              |

**S2**



Metric

## FRAME SIZE LIMITS

Jambless

**Eclipse®**  
Folding Door Systems

Hardware / Integrated Folding Doors / Screens / Shades

|                       | Configuration                                                                       | Sill (mm) | Frame Height (mm) | Frame Width (mm) | Screen Stop Position |
|-----------------------|-------------------------------------------------------------------------------------|-----------|-------------------|------------------|----------------------|
| Jambless (Full width) |   | 25        | 763 - 3200        | 615 - 2014       | 1930                 |
|                       |                                                                                     |           | 3201 - 3700       | 783 - 1289       | 1205                 |
|                       |                                                                                     |           | 3701 - 4000       | 783 - 964        | 880                  |
| Jambless (Custom)     |  | 25        | 763 - 3200        | 603 - 3933       | 1930                 |
|                       |                                                                                     |           | 3201 - 3700       | 723 - 3933       | 1205                 |
|                       |                                                                                     |           | 3701 - 4000       | 783 - 3933       | 880                  |

**S2**



Imperial

## FRAME SIZE LIMITS

XO or OX

**Eclipse®**  
**Folding Door Systems**

Hardware / Integrated Folding Doors / Screens / Shades

|                      | Configuration                                                                       | Sill (in) | Frame Height (in)     | Frame Width (in)     | Screen Stop Position |
|----------------------|-------------------------------------------------------------------------------------|-----------|-----------------------|----------------------|----------------------|
| XO or OX 1" Jamb     |    | 3/4"      | 29-13/16" - 78-11/16" | 24-5/8" - 98-9/16"   | 75-15/16"            |
|                      |                                                                                     |           | 78-3/4" - 125-15/16"  | 29-3/8" - 98-9/16"   | 75-15/16"            |
|                      |                                                                                     | 1"        | 30-1/16" - 78-11/16"  | 24-5/8" - 155-11/16" | 75-15/16"            |
|                      |                                                                                     |           | 78-3/4" - 125-15/16"  | 29-3/8" - 155-11/16" | 47-7/16"             |
|                      |                                                                                     |           | 126-0" - 157-7/16"    | 31-3/4" - 155-11/16" | 34-5/8"              |
|                      |                                                                                     |           |                       |                      |                      |
| XO or OX 2-3/4" Jamb |  | 3/4"      | 29-13/16" - 78-11/16" | 26-7/16" - 100-3/8"  | 75-15/16"            |
|                      |                                                                                     |           | 78-3/4" - 125-15/16"  | 31-1/8" - 100-3/8"   | 75-15/16"            |
|                      |                                                                                     | 1"        | 30-1/16" - 78-11/16"  | 26-7/16" - 157-7/16" | 75-15/16"            |
|                      |                                                                                     |           | 78-3/4" - 125-15/16"  | 31-1/8" - 157-7/16"  | 47-7/16"             |
|                      |                                                                                     |           | 126-0" - 157-7/16"    | 33-1/2" - 157-7/16"  | 34-5/8"              |
|                      |                                                                                     |           |                       |                      |                      |

**S2**



Metric

## FRAME SIZE LIMITS

XO or OX

**Eclipse®**  
Folding Door Systems

Hardware / Integrated Folding Doors / Screens / Shades

|                      | Configuration                                                                       | Sill (mm) | Frame Height (mm) | Frame Width (mm) | Screen Stop Position |
|----------------------|-------------------------------------------------------------------------------------|-----------|-------------------|------------------|----------------------|
| XO or OX - 25mm Jamb |    | 19        | 756 - 2000        | 625 - 2505       | 1930                 |
|                      |                                                                                     |           | 2001 - 3200       | 745 - 2505       | 1930                 |
|                      |                                                                                     | 25        | 763 - 2000        | 625 - 3955       | 1930                 |
|                      |                                                                                     |           | 2001 - 3200       | 745 - 3955       | 1205                 |
|                      |                                                                                     |           | 3201 - 4000       | 805 - 3955       | 880                  |
|                      |                                                                                     |           |                   |                  |                      |
| XO or OX - 70mm Jamb |  | 19        | 756 - 2000        | 670 - 2550       | 1930                 |
|                      |                                                                                     |           | 2001 - 3200       | 790 - 2550       | 1930                 |
|                      |                                                                                     | 25        | 763 - 2000        | 670 - 4000       | 1930                 |
|                      |                                                                                     |           | 2001 - 3200       | 790 - 4000       | 1205                 |
|                      |                                                                                     |           | 3201 - 4000       | 850 - 4000       | 880                  |
|                      |                                                                                     |           |                   |                  |                      |